

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(hybrid near2 coordinat\$3) and (exchang\$3 near5 priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:34
L2	17	(hybrid near2 coordinat\$3) and ((exchang\$3 or compar\$4) near5 priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:36
L3	1	2 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:40
L4	2	(hybrid near2 coordinat\$3) and ((compar\$4) near5 priority) and ((select\$3 or allocat\$3 or assign\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:45
L5	239	(over\$lap\$4 or over adj lap\$4) and (((compar\$4) near5 priority) and ((select\$3 or allocat\$3 or assign\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:46
L6	3	(over\$lap\$4 or over adj lap\$4) same (((compar\$4) near5 priority) and ((select\$3 or allocat\$3 or assign\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:46
L7	4	(over\$lap\$4 or over adj lap\$4) and (((compar\$4) near5 priority) same (((select\$3 or allocat\$3 or assign\$4) near2 slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:47
L8	34	(((((compar\$4) near5 priority) same (((select\$3 or allocat\$3 or assign\$4) near2 slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:48
L9	29	8 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 13:48

L10	2	"20020126692"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 14:45
L21	2	"09927125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 16:14
S1	1	"10550529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 13:33
S2	4	"7280518"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:21
S3	0	((contention near3 resolution) same priority same (time\$slot or time adj slot or slot) same (compar\$4 near6 (id or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:45
S4	0	((contention near3 resolution) same priority same (time\$slot or time adj slot or slot) same (compar\$4 near6 (id or identification or identifier or ssid)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:45
S5	0	((contention near3 resolution) same priority same (time\$slot or time adj slot or slot) same (compar\$4 same (id or identification or identifier or ssid)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:45
S6	3	((contention near3 resolution) same priority same (time\$slot or time adj slot or slot) same (id or identification or identifier or ssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:46
S7	1	((over\$lap\$4 near3 slot) same (select\$4 near4 slot) same (compar\$4 same (id or identification or identifier or ssid)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:53
S8	1	((over\$lap\$4 near3 slot) and ((select\$4 near4 slot) same (compar\$4 same (id or identification or identifier or ssid))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:54

S9	4	((over\$lap\$4 near3 slot) same (select\$4 near4 slot)) and (compar\$4 same (id or identification or identifier or bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 15:55
S10	2	((divid\$3 or divis\$3 or increas\$3 near6 (over\$lap\$4 near3 slot)) same ((pick\$3 or select\$3 or choos\$4) near3 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:00
S11	2	((divid\$3 or divis\$3 or increas\$3 near3 slot) same ((pick\$3 or select\$3 or choos\$4) near3 slot) same priority same (bssid or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:03
S12	6	((divid\$3 or divis\$3 or increas\$3 near3 slot) and ((pick\$3 or select\$3 or choos\$4) near3 slot) same ((based\$on or depend\$3 or compar\$3) near10 (bssid or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:06
S13	52	((divid\$3 or divis\$3 or increas\$3 near3 slot) and (((pick\$3 or select\$3 or choos\$4) near3 slot) near10 (bssid or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:12
S14	36	S13 and (@ad<="20030331" or @pd<="20030331" or @rlad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:13
S15	20	(contention near3 resolution) same (time\$slot or time adj slot or slot) and (compar\$4 near6 (id or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:17
S16	17	S15 and (@ad<="20030331" or @pd<="20030331" or @rlad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:18
S17	32	(contention near3 resolution) and (((allocat\$3 or assign\$4 or select\$3 or acquir\$3) near3 slot) near10 (id or identification or bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:25
S18	29	S17 and (@ad<="20030331" or @pd<="20030331" or @rlad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:25

S19	3	"20040028018"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:36
S20	40	((avoid\$3 near5 (overlap\$4 or collision or contention)) near6 slot) and ((greater or lesser or compar\$3 or match\$3) near4 (id or identification or bssid or (wireless or terminal or mobile or unit) adj identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:45
S21	19	S20 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:45
S22	15	((avoid\$3 near5 (overlap\$4 or collision or contention)) near6 slot) and ((greater or lesser or compar\$3) near4 (id or identification or bssid or (wireless or terminal or mobile or unit) adj identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:46
S23	9	S22 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:47
S24	12	("20020120740"   "20020126692"   "20040028018"   "5539730"   "5852405"   "7280518").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/02 16:53
S25	9	("5815811"   "6175739"   "6272117"   "6795407"   "6970422"   "7068633"   "7110380").PN. OR ("7280518").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/02/02 16:54
S26	232	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) and (compar\$3 near2 (identification or bssid or (wireless or terminal or mobile) adj id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:12
S27	230	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) and (compar\$3 near2 (identification or bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:13

S28	1	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) and (compar\$3 near2 (bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:13
S29	148	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) and (priority near5 (identification or bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:17
S30	87	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near2 (time adj slot or slot)) and (priority near3 (identification or bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:18
S31	58	S30 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:18
S32	14	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) and (high\$2 adj priority near5 (identification or bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:20
S33	9	S32 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:21
S34	3	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) with (bssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:29
S35	3	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) same (bssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:30
S36	106	((allocat\$3 or assign\$4 or allot \$3 or give or apportion or select \$3) near3 (time adj slot or slot)) with ((wireless or terminal or mobile or unit) adj (id or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:33
S37	85	S36 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 10:33

S38	44	((overlap\$4 or contention) near3 slot) and (((allocat\$3 or assign\$4 or allot\$3 or give or apportion or select\$3) near3 (time adj slot or slot)) same ((wireless or terminal or mobile or unit) adj (id or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 11:38
S39	32	S38 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 11:38
S40	11	((allocat\$3 or assign\$4 or allot\$3 or give or apportion or select\$3) near3 (time adj slot or slot)) same (compar\$4 near5 ((wireless or terminal or mobile or unit) adj (id or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 11:51
S41	8	S40 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 11:51
S42	43	((allocat\$3 or assign\$4 or allot\$3 or give or apportion or select\$3) near3 (time adj slot or slot)) same (compar\$4 near5 (identification or ssid or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 11:57
S43	34	S42 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 11:57
S44	26	S43 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 11:58
S45	2	((overlap\$4 or contention) near3 slot) same (compar\$4 near5 (identification or ssid or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 12:04
S46	39	((overlap\$4 or contention) near3 slot) and (compar\$4 near5 (identification or ssid or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 12:06

S47	22	S46 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 12:07
S48	98	((overlap\$4 or contention) near3 slot) same (higher adj priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 12:14
S49	85	S48 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 12:14
S50	12	((overlap\$4 or contention) near3 slot) same ((increas\$3 or divid\$3 or division\$3) near2 slot) same (higher adj priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 12:17
S51	8	((overlap\$4 or contention) near3 slot) and (exchang\$3 near5 (identification or bssid or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 13:50
S52	39	((overlap\$4 or contention) near3 slot) and (compar\$4 near5 (identification or bssid or connection adj (id or identifier or identification) or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:00
S53	1	((overlap\$4 or contention) near3 slot) and (compar\$4 near5 ((connection or wireless or link) near2 (id or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:02
S54	5	((overlap\$4 or contention or shar\$3) near3 slot) and (compar\$4 near5 ((connection or wireless or link) near2 (id or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:03
S55	10	((overlap\$4 or contention or shar\$3) near3 slot) and (compar\$4 near5 ((service or connection or wireless or link) near2 (id or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:06

S56	5	S55 not S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:07
S57	0	((overlap\$4 or contention or shar\$3) near3 slot) same (higher priority) and (compar\$4 near5 ((service or connection or wireless or link) near2 (id or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:09
S58	1	((overlap\$4 or contention or shar\$3) near3 slot) same (higher priority) same ((service or connection or wireless or link) near2 (id or identifier or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:10
S59	0	((select\$3 near3 slot) same (higher priority) and (compar\$4 near5 ((service or connection or wireless or link or bss) near2 (id or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:11
S60	1	((select\$3 near3 slot) and (higher priority) and (compar\$4 near5 ((service or connection or wireless or link or bss) near2 (id or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:12
S61	1	(select\$3 near3 slot) and (compar\$4 near3 bssid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:21
S62	230	(select\$3 near3 slot) and (compar\$4 near5 (identification or bssid or connection adj (id or identifier or identification) or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:23
S63	12	(select\$3 near3 slot) same (compar\$4 near5 (identification or bssid or connection adj (id or identifier or identification) or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:24
S64	9	(select\$3 near3 slot) and (compar\$4 near5 (connection adj (id or identifier or identification) or ((wireless or terminal or mobile or unit) adj (id or identification or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:28



S65	8	S64 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 16:29
S66	2	(contention adj resolution) same (increas\$3 near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:07
S67	2	((contention or overlap\$4) near2 (resolution or solution)) same (increas\$3 near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:10
S68	6	((contention or overlap\$4) near2 (avoid\$3 or resolution or solution)) same (increas\$3 near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:10
S69	14	((contention or overlap\$4) near2 (avoid\$3 or resolution or solution)) same ((increas\$3 or divid\$3) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:14
S70	8	S69 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:14
S71	271	(contention or overlap\$4) same ((increas\$3) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:17
S72	128	(contention or overlap\$4) near10 ((increas\$3) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:17
S73	5	(contention or overlap\$4) same ((increas\$3) near2 slot) same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:18
S74	3	"20020105970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/03 17:22

S75	0	(shared near2 slot) near6 (higher adj priority) near10 (identification or bssid or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:04
S76	0	(shared near2 slot) same (higher adj priority) same (identification or bssid or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:04
S77	0	(shared near2 slot) same (priority) same (identification or bssid or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:05
S78	1	(shar\$slot or (shar\$3 near2 slot)) same (priority) same (identification or bssid or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:06
S79	98	(shar\$slot or (shar\$3 near2 slot)) same (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:06
S80	39	(shar\$slot or (shar\$3 near2 slot)) with (priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:06
S81	24	S80 and (@ad<="20030331" or @pd<="20030331" or @rlad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:07
S82	67	S79 and (@ad<="20030331" or @pd<="20030331" or @rlad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:11
S83	43	S82 not S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 10:11
S84	11	(over\$lap\$4 near3 slot) same (higher near2 priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:05

S85	4	S84 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:05
S86	7845	(over\$lap\$4 near3 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:07
S87	772	(over\$lap\$4 near3 time adj slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:07
S88	16	(over\$lap\$4 near3 time adj slot) same ((divid\$3 or increas\$3 or split\$4) near3 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:10
S89	11	S88 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:10
S90	0	(over\$lap\$4 near3 slot) same ((divid\$3 or increas\$3 or split\$4) near3 slot) and (select near5 (identification or id or bssid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:23
S91	183	(over\$lap\$4 near3 slot) same ((divid\$3 or increas\$3 or split\$4) near3 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:24
S92	84	(over\$lap\$4 near3 slot) same ((divid\$3 or split\$4) near3 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:24
S93	16	(over\$lap\$4 near3 slot) same ((divid\$3 or split\$4) near3 slot) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:24
S94	9	S93 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:25

S95	737	hybrid near2 coordinat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:33
S96	228	S95 and (high\$3 near2 priorit \$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:34
S97	97	S96 and (over\$lap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:35
S98	9	S97 and Cbss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:38
S99	5	S98 and (@ad<="20030331" or @pd<="20030331" or @rlad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:38
S100	48	S97 and ((avoid\$3 or prevent \$3) near3 (collid\$3 or collision))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:55
S101	3	S95 and ((avoid\$3 or prevent \$3) near3 (contention or over \$lap\$4 or over adj lap\$4 or collid\$3 or collision)) and (priorit \$8) and ((divid\$3 or increas\$3 or split\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:58
S102	0	S101 and (@ad<="20030331" or @pd<="20030331" or @rlad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:59
S103	3	S95 and ((avoid\$3 or prevent \$3) near3 (contention or over \$lap\$4 or over adj lap\$4 or collid\$3 or collision)) and ((divid \$3 or increas\$3 or split\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 11:59
S104	6	S95 and (over\$lap\$4 or over adj lap\$4 or collid\$3 or collision) and priorit\$8 and (((divid\$3 or increas\$3 or split\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 12:00

S105	0	S104 and (@ad<="20030331" or @pd<="20030331" or @riad<="20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 12:01
S106	6	S95 and (over\$lap\$4 or over adj lap\$4 or collid\$3 or collision) and ((divid\$3 or increas \$3 or split\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 12:02
S107	6	S95 and ((divid\$3 or increas\$3 or split\$4) near2 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/02/04 12:02

2/ 4/ 2010 4:44:13 PM

C:\Documents and Settings\oobayanju\My Documents\EAST\Workspaces\10550529\_1.wsp